


8 7 6 5 4 3 2 1


| REVISIONS | | | | |
|-----------|------|-------------|-----------|----------|
| ZONE | REV. | DESCRIPTION | DATE | APPROVED |
| | A | Check-In | 1/17/2013 | MAM |




Stand for TLaser312 Overall Dimensions

INDEX

- (1) Cover Page
- (2) Fixture Dimensions
- (3) Mounted Dimensions

| | | | | |
|--|--|--|------|--|
| UNLESS OTHERWISE SPECIFIED: | | NAME | DATE |  LaserLinc, Inc. Phone: 888-707-4892 Info@laserlinc.com www.laserlinc.com |
| DIMENSIONS ARE IN INCHES TOLERANCES: ANGULAR: MACH ± BEND ± TWO PLACE DECIMAL ±0.010 THREE PLACE DECIMAL ±0.005 FOUR PLACE DECIMAL ±0.0005 ANGLES ±.25° UNMARKED FILLETS/ROUNDS R.0625 DE-BURR ALL PARTS | | DRAWN BY: | MAM | |
| INTERPRET GEOMETRIC TOLERANCING PER: | | 63 RA SURFACE FINISH ALL FEATURES MUST MEET SPECIFICATION AFTER PLATING BEFORE POWDER-COAT IF PLATED OR POWDER-COATED SEE FINISH MACHINE ALL SURFACES | | |
| PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF LASERLINC, INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF LASERLINC, INC IS PROHIBITED. | | MATERIAL | | |
| DO NOT SCALE DRAWING | | FINISH | | |
| | | TITLE: 00312-28 Stand for Triton312 Overall Dimensions | | SIZE B |
| | | DWG. NO. 00312-28 | | REV A |
| | | SCALE: 1:8 | | SHEET 1 OF 3 |

8 7 6 5 4 3 2 1



[259.08mm]
10.200in

[78.11mm]
3.075in

[76.84mm]
3.025in

[101.51mm]
3.996in

[31.75mm]
1.250in

45.00°

4X ϕ .402in [10.20mm] THRU ALL
M12X1.75 - 6H THRU ALL

ϕ .500in [12.70mm] THRU

4X ϕ .313in [7.94mm] THRU ALL
3/8-16 UNC THRU ALL

[317.50mm]
 ϕ 12.500in

[406.40mm]
 ϕ 16.000in

[359.21mm]
 ϕ 14.142in

| | | | |
|--------------------------------------|--|---|---------------|
| UNLESS OTHERWISE SPECIFIED: | | NAME | DATE |
| DIMENSIONS ARE IN INCHES | | DRAWN BY: | MAM 1/17/2013 |
| TOLERANCES: | | | |
| ANGULAR: MACH \pm BEND \pm | | | |
| TWO PLACE DECIMAL \pm 0.010 | | | |
| THREE PLACE DECIMAL \pm 0.005 | | | |
| FOUR PLACE DECIMAL \pm 0.0005 | | | |
| ANGLES \pm .25° | | | |
| UNMARKED FILLETS/ROUNDS R.0625 | | | |
| DE-BURR ALL PARTS | | | |
| INTERPRET GEOMETRIC TOLERANCING PER: | | | |
| MATERIAL | | 63 RA SURFACE FINISH ALL FEATURES MUST MEET SPECIFICATION AFTER PLATING BEFORE POWDER-COAT IF PLATED OR POWDER-COATED SEE FINISH MACHINE ALL SURFACES | |
| FINISH | | SIZE | DWG. NO. |
| DO NOT SCALE DRAWING | | B | 00312-28 |
| | | SCALE: 1:4 | REV |
| | | | A |
| | | SHEET 2 OF 3 | |


PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF LASERLINC, INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF LASERLINC, INC IS PROHIBITED.

laserlinc LaserLinc, Inc.
Phone: 888-707-4892
Info@laserlinc.com
www.laserlinc.com

TITLE:
00312-28 Stand for Triton312 Overall Dimensions

SCALE: 1:4



Range From:
 [791.85mm]
 31.175in
 to
 [1198.25mm]
 47.175in

| | | | |
|--------------------------------------|--|---|---------------|
| UNLESS OTHERWISE SPECIFIED: | | NAME | DATE |
| DIMENSIONS ARE IN INCHES | | DRAWN BY: | MAM 1/17/2013 |
| TOLERANCES: | | | |
| ANGULAR: MACH ± BEND ± | | | |
| TWO PLACE DECIMAL ±0.010 | | | |
| THREE PLACE DECIMAL ±0.005 | | | |
| FOUR PLACE DECIMAL ±0.0005 | | | |
| ANGLES ±.25° | | | |
| UNMARKED FILLETS/ROUNDS R.0625 | | | |
| DE-BURR ALL PARTS | | | |
| INTERPRET GEOMETRIC TOLERANCING PER: | | LaserLinc, Inc. Phone: 888-707-4892 Info@laserlinc.com www.laserlinc.com | |
| MATERIAL | | TITLE: 00312-28 Stand for Triton312 Overall Dimensions | |
| FINISH | | SIZE | DWG. NO. |
| DO NOT SCALE DRAWING | | B | 00312-28 |
| | | REV | A |
| | | SCALE: 1:3 | SHEET 3 OF 3 |

PROPRIETARY AND CONFIDENTIAL
 THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF LASERLINC, INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF LASERLINC, INC IS PROHIBITED.

63 RA SURFACE FINISH
 ALL FEATURES MUST MEET SPECIFICATION AFTER PLATING BEFORE POWDER-COAT IF PLATED OR POWDER-COATED
SEE FINISH MACHINE ALL SURFACES