
	8	7	6	5	4	1	3	
F					ZONE REV.			REVISIO CRIPTION ECK-IN
D						<u>AD.</u> <u>A</u>	ULTRA JUSTA SSEM	A C BLE BL
C _								
В								
_	INDEX				DE-BURR AN ALL SHARP I	FINISH NOTE ND BREAK EDGES ISH AND/OR	UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES TOLERANCES: ANGLES ±.25° WO PLACE DECIMAL ±0.010 IHREE PLACE DECIMAL ±0.005 "OUR PLACE DECIMAL ±0.0005 JMMARKED FILLETS/CHAMFER .06 DE-BURR ALL PARTS	DRAWN BY:
A	(1) COVER PAGE (2) FIXTURE DIMEN (3) MOUNTED DIM	sions Iensions			PROPRIETARY A THE INFORMATION C DRAWING IS THE SOI LASERLINC, INC. AN PART OR AS A WHOI	I ND CONFIDENTIAL CONTAINED IN THIS LE PROPERTY OF IY REPRODUCTION IN F	NTERPRET GEOMETRIC IOLERANCING PER: ASME Y14.5 MATERIAL	63 RA SURF ALL FEATUI SPECIFICA BEFORE PC PLATED OF SEE FINISH
	8	7	6	5	4		3	

		2					1		_
SION	1S								
NC					DAI			ROVED	-
<u> </u>					5/17/2	2021	E <i>i</i>	MM	F
									E
					1 <u>25</u> DU		Ē	2	D
<u>}</u>	′ (<u>A</u> LI				C
									B
3Y:	NAME EMM	DATE 5/17/2021	TITLE:) 0430-1	SET IIN	G ų	PHONE: 888 NFO@LASEF WWW.LASEF DJUSTA	NC, INC. B-707-4892 RLINC.COM RLINC.COM BLE ALLS	_
ATURES CATIC E POW	CE FINISH MUST MI DN AFTER DER-COA OWDER-C	PLATING AT IF	В		-1100-00			REV A	- A
		2		SCALE	:: 1:1		SHEET 1 1	OF 3	



2			1		
					F
.813					E
					D
					С
NAME DATE					B
	TITLE: 0430-1 TRANSI	DUCER ASSI . NO. 1100-00	430 ADJUSTAI EMBLY OVERA	BLE ALLS REV	A
2		I	1	-	

